EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	256	(rack or shel$6) (location or position) (component or device or server) relation$4 indicat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2007/05/01 10:57
L2	2	(rack or shel$6) (location or position) (component or device) with server relation$4 indicat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2007/05/01 10:57
L3	0	700/214-225.ccls. and (rack or shel$6) (location or position) server relation$4 indicat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2007/05/01 10:58
L4	2	700/214-225.ccls. and (rack or shel$6) (location or position) relation$4 indicat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2007/05/01 12:45
L5	31	700/214-225.ccls. and (rack or shel$6 or cabinet or chassis or slot) (device or apparatus$3 or card or module or board or PCB or unit or component or server) (relation$4 or correspond$6 or connect$4) near25 (indicat$4 or display$4 or led$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2007/05/01 12:51
L6	26	700/214-225.ccls. and (rack or shel$6 or cabinet or chassis or slot) (device or apparatus$3 or card or module or board or PCB or unit or component or server) near25 (relation$4 or correspond$6 or connect$4) near25 (indicat$4 or display$4 or led$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2007/05/01 13:14
L7	67	340/635,654,687,691.1,691.6,693.9,815.45.ccls. and (rack or shel$6 or cabinet or chassis or slot) (device or apparatus$3 or card or module or board or PCB or unit or component or server) near25 (relation$4 or correspond$6 or connect$4) near25 (indicat$4 or display$4 or led$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2007/05/01 13:29
L8	40	361/733,760,778-779,803.ccls. and (rack or shel$6 or cabinet or chassis or slot) (device or apparatus$3 or card or module or board or PCB or unit or component or server) near25 (relation$4 or correspond$6 or connect$4) near25 (indicat$4 or display$4 or led$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2007/05/01 13:31

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	256	(rack or shel$6) (location or position) (component or device or server) relation$4 indicat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2007/05/01 10:57
L2	2	(rack or shel$6) (location or position) (component or device) with server relation$4 indicat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2007/05/01 10:57
L3	0	700/214-225.ccls. and (rack or shel$6) (location or position) server relation$4 indicat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2007/05/01 10:58
L4	2	700/214-225.ccls. and (rack or shel$6) (location or position) relation$4 indicat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2007/05/01 12:45
L5	31	700/214-225.ccls. and (rack or shel$6 or cabinet or chassis or slot) (device or apparatus$3 or card or module or board or PCB or unit or component or server) (relation$4 or correspond$6 or connect$4) near25 (indicat$4 or display$4 or led$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2007/05/01 12:51
L6	26	700/214-225.ccls. and (rack or shel$6 or cabinet or chassis or slot) (device or apparatus$3 or card or module or board or PCB or unit or component or server) near25 (relation$4 or correspond$6 or connect$4) near25 (indicat$4 or display$4 or led$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2007/05/01 14:31
L7	67	340/635,654,687,691.1,691.6,693.9, 815.45.ccls. and (rack or shel$6 or cabinet or chassis or slot) (device or apparatus$3 or card or module or board or PCB or unit or component or server) near25 (relation$4 or correspond$6 or connect$4) near25 (indicat$4 or display$4 or led$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2007/05/01 13:29
L8	40	361/733,760,778-779,803.ccls. and (rack or shel$6 or cabinet or chassis or slot) (device or apparatus$3 or card or module or board or PCB or unit or component or server) near25 (relation$4 or correspond$6 or connect$4) near25 (indicat$4 or display$4 or led$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2007/05/01 13:34

L9	2	("5483229").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/05/01 13:34
L10	17	("4401351" | "4511950" | "4679121" | "4872212" | "5103378" | "5253140").PN. OR ("5483229"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/01 14:30
L11	647	"439"/$.ccls. and (rack or shel$6 or cabinet or chassis or slot) (device or apparatus$3 or card or module or board or PCB or unit or component or server) near25 (relation$4 or correspond$6 or connect$4) near25 (indicat$4 or display$4 or led$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2007/05/01 14:32
L12	338	"439"/$.ccls. and (rack or shel$6 or cabinet or chassis or slot) (device or apparatus$3 or card or module or board or PCB or unit or component or server) near25 (relation$4 or correspond$6 or connect$4) near25 (indicat$4 or display$4 or led$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	WITH	ON	2007/05/01 14:34
L13	280	"439"/$.ccls. and (rack or shel$6 or cabinet or chassis or slot) (device or apparatus$3 or card or module or board or PCB or unit or component or server) near15 (relation$4 or correspond$6 or connect$4) near15 (indicat$4 or display$4 or led$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	WITH	ON	2007/05/01 14:35

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L14	2765	(led$1 or diode$1 or light$1 of display$4 or indicator$) near10 (indicat$4 or display$4 or show$4) near8 (interconnect$4 or inter-connect$4) near18 (modul$2 or device or apparatus$2 or component$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/01 17:29
L15	992	(led$1 or diode$1 or light$1 or indicator$) near10 (indicat$4 or display$4 or show$4) near8 (interconnect$4 or inter-connect$4) near18 (modul$2 or device or apparatus$2 or component$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/01 17:30
L16	1	15 and 361/728.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/01 17:29
L17	19891	(led$1 or diode$1 or light$1 or indicator$) near10 (indicat$4 or display$4 or show$4) near8 (interconnect$4 or inter-connect$4 or connect$4) near18 (modul$2 or device or apparatus$2 or component$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/01 17:31
L18	227660	(led$1 or diode$1 or light$1 or indicator$ or display$4) near10 (interconnect$4 or inter-connect$4 or connect$4) near18 (modul$2 or device or apparatus$2 or component$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/01 17:31
L19	69	18 and 361/728.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/01 17:33
L20	32650	18 and (stack$4 or shel$5 or rack$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/01 17:33
L21	62089	18 and (stack$4 or shel$5 or rack$4 or aperture or slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/01 17:33
L22	13038	18 and (stack$4 or shel$5 or rack$4 or aperture or slot) near8 (indicat$4 or display$4 or led)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/01 17:35

EAST Search History

L23	2	("5253140").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/05/01 17:35

EAST Search History

L32	1504	(led$1 or diode$1 or light$1 or display$4 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (interconnect$4 or inter-connect$4) near18 (module$1 or device$1 or apparatus$1 or component$1)	USPAT	OR	ON	2007/05/01 14:14
L33	2909	(led$1 or diode$1 or light$1 or display$4 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (interconnect$4 or inter-connect$4) near18 (module$1 or device$1 or apparatus$1 or component$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 14:14
L34	7	(rack$1 or chassis or shelf) same (led$1 or diode$1 or light$1 or display$4 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (interconnect$4 or inter-connect$4) near18 (module$1 or device$1 or apparatus$1 or component$1)	USPAT	OR	ON	2007/05/01 14:17
L35	78	(rack$1 or chassis or shelf) and (led$1 or diode$1 or light$1 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (interconnect$4 or inter-connect$4) near18 (module$1 or device$1 or apparatus$1 or component$1) not 34	USPAT	OR	ON	2007/05/01 14:19
L36	71	(32 33 35) and (439/488-491.ccls. or 361/600-733.ccls. or 361/778-803.ccls.)	US-PGPUB; USPAT	OR	ON	2007/05/01 14:21
L37	4	36 and "340"/$.ccls.	US-PGPUB; USPAT	OR	ON	2007/05/01 14:32
L38	8	("4271455").URPN.	USPAT	OR	OFF	2007/05/01 14:23
L39	137	33 and "340"/$.ccls.	US-PGPUB; USPAT	OR	ON	2007/05/01 14:33
L40	1	39 and connection$1 near3 status	US-PGPUB; USPAT	OR	ON	2007/05/01 14:35
L41	19	33 and connection$1 near3 status	US-PGPUB; USPAT	OR	ON	2007/05/01 14:35

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	19	lee near3 benjamin.xa,xp. and connect$4 same indicat$4.ti,ab. and switch$4	USPAT	OR	OFF	2007/05/01 12:15
L2	189	lee near3 benjamin.xa,xp. and led	USPAT	OR	OFF	2007/05/01 12:16
L3	4	lee near3 benjamin.xa,xp. and led and 340/815.45.ccls.	USPAT	OR	OFF	2007/05/01 12:16
L4	0	lee near3 benjamin.xa,xp. and 340/815.45.ccls. not 3	USPAT	OR	OFF	2007/05/01 12:16
L5	244	lee near3 benjamin.xa,xp. and (connect$4 or switch$4).ab.	USPAT	OR	OFF	2007/05/01 12:17
L6	70	5 and diode$1	USPAT	OR	OFF	2007/05/01 12:17
L7	46	5 and light$5 near5 diode$1	USPAT	OR	OFF	2007/05/01 12:18
L8	198	5 not 7	USPAT	OR	OFF	2007/05/01 12:18
L9	11	("5483229").URPN.	USPAT	OR	OFF	2007/05/01 13:00
L10	0	"6850415".pn. and (indicat$4 or led$1 or diode$1 or light$)	USPAT	OR	OFF	2007/05/01 13:01
L11	6	("4401351" | "4511950" | "4679121" | "4872212" | "5103378" | "5253140").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/01 13:00
L12	1	"5253140".pn. and (indicat$4 or led$1 or diode$1 or light$ or display$4)	USPAT	OR	OFF	2007/05/01 13:06
L13	7	("3992654" | "4070081" | "4151580" | "4197572" | "4692842" | "4920453" | "5043847").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/01 13:05
L14	5	13 and (indicat$4 or led$1 or diode$1 or light$1 or display$4)	USPAT	OR	OFF	2007/05/01 13:15
L15	5	13 and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (relat$3 or relationship$1 or connect$4)	USPAT	OR	ON	2007/05/01 13:19
L16	739	361/686,760,733.ccls. and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (relat$3 or relationship$1 or connect$4)	USPAT	OR	ON	2007/05/01 13:19
L17	225	361/686,760,733.ccls. and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (relat$3 or relationship$1)	USPAT	OR	ON	2007/05/01 13:19
L18	20	361/686,760,733.ccls. and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (relationship$1)	USPAT	OR	ON	2007/05/01 13:22

EAST Search History

L19	122	361/686,760,733.ccls. and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (associat$4)	USPAT	OR	ON	2007/05/01 13:22
L20	18	361/686,760,733.ccls. and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (associat$4) near5 connect$4	USPAT	OR	ON	2007/05/01 13:28
L21	1597	"361"/$.ccls. and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (indicat$4) near8 connect$4	USPAT	OR	ON	2007/05/01 13:28
L22	1070	"361"/$.ccls. and (led$1 or diode$1 or light$1 or display$4) near10 (indicat$4) near8 connect$4	USPAT	OR	ON	2007/05/01 13:29
L23	611	"361"/$.ccor. and (led$1 or diode$1 or light$1 or display$4) near10 (indicat$4) near8 connect$4	USPAT	OR	ON	2007/05/01 13:59
L28	1880	"361"/$.ccor. and (led$1 or diode$1 or light$1 or display$4 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (connected or connection$1)	USPAT	OR	ON	2007/05/01 14:00
L29	487	"361"/$.ccor. and (led$1 or diode$1 or light$1 or display$4 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (connected or connection$1) near18 (module$1 or device$1 or apparatus$1 or component$1)	USPAT	OR	ON	2007/05/01 14:07
L30	11	"361"/728.ccls. and (led$1 or diode$1 or light$1 or display$4 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (connected or connection$1) near18 (module$1 or device$1 or apparatus$1 or component$1)	USPAT	OR	ON	2007/05/01 14:12
L31	3	"361"/728.ccls. and (led$1 or diode$1 or light$1 or display$4 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (interconnect$4 or inter-connect$4) near18 (module$1 or device$1 or apparatus$1 or component$1)	USPAT	OR	ON	2007/05/01 14:13

L19	122	361/686,760,733.ccls. and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (associat$4)	USPAT	OR	ON	2007/05/01 13:22
L20	18	361/686,760,733.ccls. and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (associat$4) near5 connect$4	USPAT	OR	ON	2007/05/01 13:28
L21	1597	"361"/$.ccls. and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (indicat$4) near8 connect$4	USPAT	OR	ON	2007/05/01 13:28
L22	1070	"361"/$.ccls. and (led$1 or diode$1 or light$1 or display$4) near10 (indicat$4) near8 connect$4	USPAT	OR	ON	2007/05/01 13:29
L23	611	"361"/$.ccor. and (led$1 or diode$1 or light$1 or display$4) near10 (indicat$4) near8 connect$4	USPAT	OR	ON	2007/05/01 13:59
L28	1880	"361"/$.ccor. and (led$1 or diode$1 or light$1 or display$4 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (connected or connection$1)	USPAT	OR	ON	2007/05/01 14:00
L29	487	"361"/$.ccor. and (led$1 or diode$1 or light$1 or display$4 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (connected or connection$1) near18 (module$1 or device$1 or apparatus$1 or component$1)	USPAT	OR	ON	2007/05/01 14:07
L30	11	"361"/728.ccls. and (led$1 or diode$1 or light$1 or display$4 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (connected or connection$1) near18 (module$1 or device$1 or apparatus$1 or component$1)	USPAT	OR	ON	2007/05/01 14:12
L31	3	"361"/728.ccls. and (led$1 or diode$1 or light$1 or display$4 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (interconnect$4 or inter-connect$4) near18 (module$1 or device$1 or apparatus$1 or component$1)	USPAT	OR	ON	2007/05/01 14:13

EAST Search History

L32	1504	(led$1 or diode$1 or light$1 or display$4 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (interconnect$4 or inter-connect$4) near18 (module$1 or device$1 or apparatus$1 or component$1)	USPAT	OR	ON	2007/05/01 14:14
L33	2909	(led$1 or diode$1 or light$1 or display$4 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (interconnect$4 or inter-connect$4) near18 (module$1 or device$1 or apparatus$1 or component$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 14:14
L34	7	(rack$1 or chassis or shelf) same (led$1 or diode$1 or light$1 or display$4 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (interconnect$4 or inter-connect$4) near18 (module$1 or device$1 or apparatus$1 or component$1)	USPAT	OR	ON	2007/05/01 14:17
L35	78	(rack$1 or chassis or shelf) and (led$1 or diode$1 or light$1 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (interconnect$4 or inter-connect$4) near18 (module$1 or device$1 or apparatus$1 or component$1) not 34	USPAT	OR	ON	2007/05/01 14:18

EAST Search History

L19	122	361/686,760,733.ccls. and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (associat$4)	USPAT	OR	ON	2007/05/01 13:22
L20	18	361/686,760,733.ccls. and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (associat$4) near5 connect$4	USPAT	OR	ON	2007/05/01 13:28
L21	1597	"361"/$.ccls. and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (indicat$4) near8 connect$4	USPAT	OR	ON	2007/05/01 13:28
L22	1070	"361"/$.ccls. and (led$1 or diode$1 or light$1 or display$4) near10 (indicat$4) near8 connect$4	USPAT	OR	ON	2007/05/01 13:29
L23	611	"361"/$.ccor. and (led$1 or diode$1 or light$1 or display$4) near10 (indicat$4) near8 connect$4	USPAT	OR	ON	2007/05/01 13:59
L28	1880	"361"/$.ccor. and (led$1 or diode$1 or light$1 or display$4 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (connected or connection$1)	USPAT	OR	ON	2007/05/01 14:00
L29	487	"361"/$.ccor. and (led$1 or diode$1 or light$1 or display$4 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (connected or connection$1) near18 (module$1 or device$1 or apparatus$1 or component$1)	USPAT	OR	ON	2007/05/01 14:07
L30	11	"361"/728.ccls. and (led$1 or diode$1 or light$1 or display$4 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (connected or connection$1) near18 (module$1 or device$1 or apparatus$1 or component$1)	USPAT	OR	ON	2007/05/01 14:12
L31	3	"361"/728.ccls. and (led$1 or diode$1 or light$1 or display$4 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (interconnect$4 or inter-connect$4) near18 (module$1 or device$1 or apparatus$1 or component$1)	USPAT	OR	ON	2007/05/01 14:13

EAST Search History

L32	1504	(led$1 or diode$1 or light$1 or display$4 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (interconnect$4 or inter-connect$4) near18 (module$1 or device$1 or apparatus$1 or component$1)	USPAT	OR	ON	2007/05/01 14:14
L33	2909	(led$1 or diode$1 or light$1 or display$4 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (interconnect$4 or inter-connect$4) near18 (module$1 or device$1 or apparatus$1 or component$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 14:14
L34	7	(rack$1 or chassis or shelf) same (led$1 or diode$1 or light$1 or display$4 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (interconnect$4 or inter-connect$4) near18 (module$1 or device$1 or apparatus$1 or component$1)	USPAT	OR	ON	2007/05/01 14:17
L35	78	(rack$1 or chassis or shelf) and (led$1 or diode$1 or light$1 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (interconnect$4 or inter-connect$4) near18 (module$1 or device$1 or apparatus$1 or component$1) not 34	USPAT	OR	ON	2007/05/01 14:19
L36	71	(32 33 35) and (439/488-491.ccls. or 361/600-733.ccls. or 361/778-803.ccls.)	US-PGPUB; USPAT	OR	ON	2007/05/01 14:20

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	19	lee near3 benjamin.xa,xp. and connect$4 same indicat$4.ti,ab. and switch$4	USPAT	OR	OFF	2007/05/01 12:15
L2	189	lee near3 benjamin.xa,xp. and led	USPAT	OR	OFF	2007/05/01 12:16
L3	4	lee near3 benjamin.xa,xp. and led and 340/815.45.ccls.	USPAT	OR	OFF	2007/05/01 12:16
L4	0	lee near3 benjamin.xa,xp. and 340/815.45.ccls. not 3	USPAT	OR	OFF	2007/05/01 12:16
L5	244	lee near3 benjamin.xa,xp. and (connect$4 or switch$4).ab.	USPAT	OR	OFF	2007/05/01 12:17
L6	70	5 and diode$1	USPAT	OR	OFF	2007/05/01 12:17
L7	46	5 and light$5 near5 diode$1	USPAT	OR	OFF	2007/05/01 12:18
L8	198	5 not 7	USPAT	OR	OFF	2007/05/01 12:18
L9	11	("5483229").URPN.	USPAT	OR	OFF	2007/05/01 13:00
L10	0	"6850415".pn. and (indicat$4 or led$1 or diode$1 or light$)	USPAT	OR	OFF	2007/05/01 13:01
L11	6	("4401351" | "4511950" | "4679121" | "4872212" | "5103378" | "5253140").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/01 13:00
L12	1	"5253140".pn. and (indicat$4 or led$1 or diode$1 or light$ or display$4)	USPAT	OR	OFF	2007/05/01 13:06
L13	7	("3992654" | "4070081" | "4151580" | "4197572" | "4692842" | "4920453" | "5043847").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/01 13:05
L14	5	13 and (indicat$4 or led$1 or diode$1 or light$1 or display$4)	USPAT	OR	OFF	2007/05/01 13:15
L15	5	13 and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (relat$3 or relationship$1 or connect$4)	USPAT	OR	ON	2007/05/01 13:19
L16	739	361/686,760,733.ccls. and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (relat$3 or relationship$1 or connect$4)	USPAT	OR	ON	2007/05/01 13:19
L17	225	361/686,760,733.ccls. and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (relat$3 or relationship$1)	USPAT	OR	ON	2007/05/01 13:19
L18	20	361/686,760,733.ccls. and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (relationship$1)	USPAT	OR	ON	2007/05/01 13:22

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	19	lee near3 benjamin.xa,xp. and connect$4 same indicat$4.ti,ab. and switch$4	USPAT	OR	OFF	2007/05/01 12:15
L2	189	lee near3 benjamin.xa,xp. and led	USPAT	OR	OFF	2007/05/01 12:16
L3	4	lee near3 benjamin.xa,xp. and led and 340/815.45.ccls.	USPAT	OR	OFF	2007/05/01 12:16
L4	0	lee near3 benjamin.xa,xp. and 340/815.45.ccls. not 3	USPAT	OR	OFF	2007/05/01 12:16
L5	244	lee near3 benjamin.xa,xp. and (connect$4 or switch$4).ab.	USPAT	OR	OFF	2007/05/01 12:17
L6	70	5 and diode$1	USPAT	OR	OFF	2007/05/01 12:17
L7	46	5 and light$5 near5 diode$1	USPAT	OR	OFF	2007/05/01 12:18
L8	198	5 not 7	USPAT	OR	OFF	2007/05/01 12:18
L9	11	("5483229").URPN.	USPAT	OR	OFF	2007/05/01 13:00
L10	0	"6850415".pn. and (indicat$4 or led$1 or diode$1 or light$)	USPAT	OR	OFF	2007/05/01 13:01
L11	6	("4401351" | "4511950" | "4679121" | "4872212" | "5103378" | "5253140").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/01 13:00
L12	1	"5253140".pn. and (indicat$4 or led$1 or diode$1 or light$ or display$4)	USPAT	OR	OFF	2007/05/01 13:06
L13	7	("3992654" | "4070081" | "4151580" | "4197572" | "4692842" | "4920453" | "5043847").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/01 13:05
L14	5	13 and (indicat$4 or led$1 or diode$1 or light$1 or display$4)	USPAT	OR	OFF	2007/05/01 13:15
L15	5	13 and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (relat$3 or relationship$1 or connect$4)	USPAT	OR	ON	2007/05/01 13:19
L16	739	361/686,760,733.ccls. and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (relat$3 or relationship$1 or connect$4)	USPAT	OR	ON	2007/05/01 13:19
L17	225	361/686,760,733.ccls. and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (relat$3 or relationship$1)	USPAT	OR	ON	2007/05/01 13:19
L18	20	361/686,760,733.ccls. and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (relationship$1)	USPAT	OR	ON	2007/05/01 13:22

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	19	lee near3 benjamin.xa,xp. and connect$4 same indicat$4.ti,ab. and switch$4	USPAT	OR	OFF	2007/05/01 12:15
L2	189	lee near3 benjamin.xa,xp. and led	USPAT	OR	OFF	2007/05/01 12:16
L3	4	lee near3 benjamin.xa,xp. and led and 340/815.45.ccls.	USPAT	OR	OFF	2007/05/01 12:16
L4	0	lee near3 benjamin.xa,xp. and 340/815.45.ccls. not 3	USPAT	OR	OFF	2007/05/01 12:16
L5	244	lee near3 benjamin.xa,xp. and (connect$4 or switch$4).ab.	USPAT	OR	OFF	2007/05/01 12:17
L6	70	5 and diode$1	USPAT	OR	OFF	2007/05/01 12:17
L7	46	5 and light$5 near5 diode$1	USPAT	OR	OFF	2007/05/01 12:18
L8	198	5 not 7	USPAT	OR	OFF	2007/05/01 12:18
L9	11	("5483229").URPN.	USPAT	OR	OFF	2007/05/01 13:00
L10	0	"6850415".pn. and (indicat$4 or led$1 or diode$1 or light$)	USPAT	OR	OFF	2007/05/01 13:01
L11	6	("4401351" | "4511950" | "4679121" | "4872212" | "5103378" | "5253140").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/01 13:00
L12	1	"5253140".pn. and (indicat$4 or led$1 or diode$1 or light$ or display$4)	USPAT	OR	OFF	2007/05/01 13:06
L13	7	("3992654" | "4070081" | "4151580" | "4197572" | "4692842" | "4920453" | "5043847").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/01 13:05
L14	5	13 and (indicat$4 or led$1 or diode$1 or light$1 or display$4)	USPAT	OR	OFF	2007/05/01 13:15
L15	5	13 and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (relat$3 or relationship$1 or connect$4)	USPAT	OR	ON	2007/05/01 13:19
L16	739	361/686,760,733.ccls. and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (relat$3 or relationship$1 or connect$4)	USPAT	OR	ON	2007/05/01 13:19
L17	225	361/686,760,733.ccls. and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (relat$3 or relationship$1)	USPAT	OR	ON	2007/05/01 13:19
L18	20	361/686,760,733.ccls. and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (relationship$1)	USPAT	OR	ON	2007/05/01 13:22

EAST Search History

L19	122	361/686,760,733.ccls. and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (associat$4)	USPAT	OR	ON	2007/05/01 13:22
L20	18	361/686,760,733.ccls. and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (associat$4) near5 connect$4	USPAT	OR	ON	2007/05/01 13:28
L21	1597	"361"/$.ccls. and (indicat$4 or led$1 or diode$1 or light$1 or display$4) near10 (indicat$4) near8 connect$4	USPAT	OR	ON	2007/05/01 13:28
L22	1070	"361"/$.ccls. and (led$1 or diode$1 or light$1 or display$4) near10 (indicat$4) near8 connect$4	USPAT	OR	ON	2007/05/01 13:29
L23	611	"361"/$.ccor. and (led$1 or diode$1 or light$1 or display$4) near10 (indicat$4) near8 connect$4	USPAT	OR	ON	2007/05/01 13:59
L28	1880	"361"/$.ccor. and (led$1 or diode$1 or light$1 or display$4 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (connected or connection$1)	USPAT	OR	ON	2007/05/01 14:00
L29	487	"361"/$.ccor. and (led$1 or diode$1 or light$1 or display$4 or indicator$1) near10 (indicat$4 or display$4 or show$1 or showing) near8 (connected or connection$1) near18 (module$1 or device$1 or apparatus$1 or component$1)	USPAT	OR	ON	2007/05/01 14:00